

MEASURING GUIDE FOR INDOOR BAMBOO BLINDS

Measuring for your Indoor Bamboo Blinds for windows, doors, bi-fold doors and sliding doors is a simple process in principle. But for bi-fold and sliding doors you'll need to email us a photo via our website (address below) so we can help you with the measurements.

The sizes you supply are the overall blind sizes and we will work out the deductions to make everything fit within this space. The blind and all components will fit inside the dimensions you give us.


ITEMS YOU WILL NEED

1. Tape measure (metal is best)
2. A printout of this sheet, if possible, to record the dimensions in the table (see overleaf). Or a blank sheet of paper.
3. Pen (to record measurements)
4. A smart phone (to photograph the measurements for emailing to us).


FACE FIX, RECESS FIX OR CEILING MOUNT

Indoor Bamboo Blinds can be fitted in 3 ways (see diagrams below) :

1. To the face of the architrave (Face Fix).
2. To the inside of the architrave (Recess Fix).
3. To the ceiling (Ceiling Mount).



Face Fix



Recess Fix




MEASUREMENT RECORD SHEET - FACE FIX ONLY

The blind will be attached to the face of the architrave. Before measuring, check for interferences around the window or door. Look for window locks, window winders, benches etc. protruding into the window frame. Consider door knobs if attaching blinds to a door. If there are interferences contact us for advice (contact details at the bottom of the page).

Measure from outer edge to outer edge of the architrave (as shown on the drawing) for both the width and drop and record your measurements in the table below for each window or door.

Please provide measurements to the nearest mm to ensure a perfect fit. Now measure again to check your measurements are correct. It's also a good idea to get someone to check the measurements for you. Please write clearly in black pen and email your form to us via our website (address below). If you'd like to be sent materials samples, include the request in your email.



NOTE: We recommend measuring each opening in 3 different positions for the width and the drop. For the width - measure the top, centre, and bottom, and for the drop - measure left, centre and right.

FACE FIX (enter measurements into unshaded boxes only)							
Blind No.	MM	TOP	CENTRE	BOTTOM	LEFT	CENTRE	RIGHT
1	WIDTH						
	DROP						
2	WIDTH						
	DROP						
3	WIDTH						
	DROP						
4	WIDTH						
	DROP						




MEASUREMENT RECORD SHEET - RECESS FIX ONLY

The blind will be attached inside the architrave. Before measuring, check for interferences around the window or door. Look for window locks, window winders, benches etc. protruding into the window frame. Consider door knobs if attaching blinds to a door. If there are interferences contact us for advice (contact details at the bottom of the page).

Measure from inner edge to inner edge of the architrave (as shown on the drawing) for both the width and drop and record your measurements in the table below for each window or door.

Please provide measurements to the nearest mm to ensure a perfect fit. Now measure again to check your measurements are correct. It's also a good idea to get someone to check the measurements for you. Please write clearly in black pen and email your form to us via our website (address below). If you'd like to be sent materials samples, include the request in your email.



NOTE: We recommend measuring each opening in 3 different positions for the width and the drop. For the width - measure the top, centre, and bottom, and for the drop - measure left, centre and right.

RECESS FIX (enter measurements into unshaded boxes only)							
Blind No.	MM	TOP	CENTRE	BOTTOM	LEFT	CENTRE	RIGHT
1	WIDTH						
	DROP						
2	WIDTH						
	DROP						
3	WIDTH						
	DROP						
4	WIDTH						
	DROP						



MEASUREMENT RECORD SHEET - CEILING MOUNT ONLY

Step 1: With a pencil make a mark, left and right, on your beam or ceiling to indicate the width you want your blind to be. Measure the space between the two marks. This is your width. Note this measurement.

Step 2: Measure from your ceiling down to where you want the blind to finish. This is your drop. Note this measurement.

Please provide inside measurement to the nearest mm to ensure a perfect fit. Now measure again to check your measurements are correct. It's also a good idea to get someone to check the measurements for you. Please write clearly in black pen and email your form to us via our website (address below). If you'd like to be sent materials samples, include the request in your email.

CEILING MOUNT (enter measurements into unshaded boxes only)							
Blind No.	MM	TOP	CENTRE	BOTTOM	LEFT	CENTRE	RIGHT
1	WIDTH						
	DROP						
2	WIDTH						
	DROP						
3	WIDTH						
	DROP						
4	WIDTH						
	DROP						

